



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) EP 1 574 189 A1

(12)

# EUROPEAN PATENT APPLICATION

(43) Date of publication:  
14.09.2005 Bulletin 2005/37

(51) Int Cl.7: A61F 5/00, A61F 2/00,  
A61B 17/12

(21) Application number: 05250951.0

(22) Date of filing: 18.02.2005

(84) Designated Contracting States:  
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR  
HU IE IS IT LI LT LU MC NL PL PT RO SE SI SK TR  
Designated Extension States:  
AL BA HR LV MK YU

(72) Inventor: Byrum, Randal T.  
Kings Mills Ohio 45034 (US)

(74) Representative:  
Tunstall, Christopher Stephen et al  
Carpmaels & Ransford,  
43-45 Bloomsbury Square  
London WC1A 2RA (GB)


(30) Priority: 20.02.2004 US 784416

(71) Applicant: ETHICON ENDO-SURGERY, INC.  
Cincinnati, OH 45242 (US)

(54) A surgically implantable adjustable band having a flat profile when implanted

(57) There is provided an implantable surgical device having a deployed shape and an undeployed shape. The device includes an elongated flexible inflatable balloon portion (10) and an elongated flexible and substantially inextensible band portion (20). The band portion (20) has a distal end, a proximal end and a lon-

gitudinal axis therebetween. The band portion (20) is attached to the balloon portion (10) along an inner face thereof. When the device is in its undeployed shape at least a portion of the band portion (20) has a concave cross section taken perpendicular to the longitudinal axis.



EP 1 574 189 A1

## Description

### Field of the Invention

[0001] The present invention has application in conventional endoscopic and open surgical instrumentation as well as application in robotic-assisted surgery. The present invention has even further relation to adjustable surgically implantable bands, such as gastric bands for the treatment of obesity.

### Background of the Invention

[0002] The percentage of the world's population suffering from morbid obesity is steadily increasing. Severely obese persons are susceptible to increased risk of heart disease, stroke, diabetes, pulmonary disease, and accidents. Because of the effect of morbid obesity to the life of the patient, methods of treating morbid obesity are being researched.

[0003] Numerous non-operative therapies for morbid obesity have been tried with virtually no permanent success. Dietary counseling, behavior modification, wiring a patient's jaws shut, and pharmacological methods have all been tried, and failed to correct the condition. Mechanical apparatuses for insertion into the body through non-surgical means, such as the use of gastric balloons to fill the stomach have also been employed in the treatment of the condition. Such devices cannot be employed over a long term, however, as they often cause severe irritation, necessitating their periodic removal and hence interruption of treatment. Thus, the medical community has evolved surgical approaches for treatment of morbid obesity.

[0004] Most surgical procedures for treatment of morbid obesity may generally be classified as either being directed toward the prevention of absorption of food (malabsorption), or restriction of stomach to make the patient feel full (gastric restriction). The most common malabsorption and gastric restriction technique is the gastric bypass. In variations of this technique, the stomach is horizontally divided into two isolated pouches, with the upper pouch having a small food capacity. The upper pouch is connected to the small intestine, or jejunum, through a small stoma, which restricts the processing of food by the greatly reduced useable stomach. Since food bypass much of the intestines, the amount of absorption of food is greatly reduced.

[0005] There are many disadvantages to the above procedure. Typically the above mentioned procedure is performed in an open surgical environment. Current minimally invasive techniques are difficult for surgeons to master, and have many additional drawbacks. Also, there is a high level of patient uneasiness with the idea of such a drastic procedure which is not easily reversible. In addition, all malabsorption techniques carry ongoing risks and side effects to the patient, including malnutrition and dumping syndrome.

[0006] Consequently, many patients and physicians prefer to undergo a gastric restriction procedure for the treatment of morbid obesity. One of the common procedures involves the implantation of an adjustable gastric band. Examples of an adjustable gastric band can be found in U.S. Patents 4,592,339 issued to Kuzmak; RE 36176 issued to Kuzmak; 5,226,429 issued to Kuzmak; 6,102,922 issued to Jacobson and 5,601,604 issued to Vincent, all of which are hereby incorporated herein by reference. In accordance with current practice, a gastric band is operatively placed to encircle the stomach. This divides the stomach into two parts with a stoma in-between. An upper portion, or a pouch, which is relatively small, and a lower portion which is relatively large. The small partitioned portion of the stomach effectively becomes the patient's new stomach, requiring very little food to make the patient feel full.

[0007] Once positioned around the stomach, the ends of the gastric band are fastened to one another and the band is held securely in place by folding a portion of the gastric wall over the band and closing the folded tissue with sutures placed therethrough thereby preventing the band from slipping and the encircled stoma from expanding. Prior art gastric bands can best be described by referring to Figures 5 and 6. Prior art gastric band 101 includes a flexible substantially non-extensible portion 120 having an expandable, inflatable portion 110 attached thereto. Inflatable portion 110 is in fluid communication with a remote injection site. Injection or removal of an inflation fluid into or from the interior of the expandable shell is used to adjust the size of the stoma either during or following implantation. By enlarging the stoma, the patient can eat more food without feeling as full, but will not lose weight as fast. By reducing the size of the stoma, the opposite happens. Physicians regularly adjust the size of stoma to adjust the rate of weight loss.

[0008] For most bands, as seen from Figures 5, the flexible substantially non-extensible portion 120 of the band 101 has a flat rectangular profile prior to placement within the body. However, as seen from Figure 6, when it is implanted around the stomach 111 the portion 120 strains and deforms, which causes its surface to bend and take on a convex profile. This creates potential sharp points 121 on the band. This is also a cosmetic and perceived quality issue. Therefore, there has been a need for an adjustable gastric band which does not bend as such when implanted.

### Summary of the Invention

[0009] In accordance with the present invention, there is provided an implantable surgical device having a deployed shape and an undeployed shape. The device includes an elongated flexible inflatable balloon portion and an elongated flexible and substantially inextensible band portion. The band portion has a distal end, a proximal end and a longitudinal axis therebetween. The

band portion is attached to the balloon portion along an inner face thereof. When the device is in its undeployed shape at least a portion of the band portion has a concave cross section taken perpendicular to the longitudinal axis.

#### Detailed Description of the Drawings

[0010] The novel features of the invention are set forth with particularity in the appended claims. The invention itself, however, both as to organization and methods of operation, together with further objects and advantages thereof, may best be understood by reference to the following description, taken in conjunction with the accompanying drawings in which:

[0011] Figure 1 is a perspective view of a device 1, made in accordance with the present invention.

[0012] Figure 2 is a cross section of the device shown in Figure 1, taken along lines 2-2.

[0013] Figure 3 is a perspective view of a device 1 showing it in its deployed position.

[0014] Figure 4 is a cross section of the device shown in Figure 3, taken along lines 4-4.

[0015] Figure 5 is a view similar to that of Figure 2, but showing a prior art device 101.

[0016] Figure 6 is a cross sectional view of band 101, but showing it in its deployed position.

#### Detailed Description of the Invention

[0017] Referring now to the drawings wherein like numerals indicate the same elements throughout the views, as stated above there is shown in Figure 5 a prior art adjustable gastric band of the type described in the above mentioned incorporated references. The device 101 includes an elongated flexible inflatable portion, alternatively referred to as balloon portion, 110 and an elongated flexible and substantially inextensible band portion 120. Figure 5 shows the device in its undeployed shape, with band portion 120 with a flat profile having a linear cross-section.

[0018] As stated above, however, and as seen from Figure 6, once the device 101 is positioned around the stomach 111, and the ends of the gastric band are fastened to one another, band portion 120 strains and deforms, which causes its surface to bend and take on a convex profile. This creates potential sharp points 121 on the band, which are also a cosmetic and perceived quality issue. Therefore, there has been a need for an adjustable gastric band which does not bend when implanted and take on a concave profile.

[0019] Referring now to Figure 1, there is shown a surgically implantable device 1 made in accordance with the present invention. The device includes an elongated flexible inflatable balloon portion 10. Balloon portion can be made from any number of materials known to those skilled in the art including silicone and polyurethane. Device 1 further includes and an elongated flexible and

substantially inextensible band portion 20. The band portion has a distal end 22, a proximal end 24 and a longitudinal axis 26 therebetween. Band portion 20 can be made from any number of materials known to those skilled in the art including silicone and polyurethane. The band portion is attached to the balloon portion along an inner face 28 (shown in Figure 2) of the band portion 20. The inflatable or balloon portion 10 can be attached to band portion 20 by any number of means known to those skilled in the art including using a silicone adhesive. The two portions may also be integrally manufactured as one part.

[0020] The distal and proximal ends of the band portions preferably include means for attaching such ends together. There are various means for attaching the distal and proximal ends of the band together. Many of these are described in co-pending and commonly assigned U.S. Patent Application Serial No. 60/483,353 filed September 30, 2003, 60/507,916 filed September 30, 2003 and 60/507,625 filed September 30, 2003 the disclosures of which are hereby incorporated herein by reference. Figure 1 shows the distal end of the band 22 as comprising a tab 30 having notches 32. This tab 30 would be inserted into a slot (not shown) on the proximal end 24 of band 20. Tab 30 also includes suture holes 34 and 36, one of which would line up with suture hole 38 on the proximal end 24 of band 20. After the tab 30 is inserted into the slot, and the physician is pleased with the final position of the band, the ends 22 and 24 are then often sutured together to better secure the band in position. However, many alternative locking means, such as those described in the above incorporated reference, do not need to use suture.

[0021] Inflatable portion 10 is shown as being in fluid communication with an injection port 50 via a fluid line 52. However, inflatable portion 10 could also be fluidly connected to an implanted reservoir such as those used with remotely controlled bands. Such a band is described in U.S. Patent 6,453,907 issued on September 24, 2002, which is hereby incorporated herein by reference. Port 50 is of the type well known in the medical field not only for gastric bands, but such ports are also used for vascular access for drug delivery. After device 1 is implanted into a patient, port 50 is attached just below the skin of the patient, so that fluid can be inserted and withdrawn from the inflatable portion with a syringe. Fluid line 52 can be integral with inflatable portion 10 or can be a separate piece.

[0022] Device 1 has an undeployed position with an undeployed shape shown in Figure 1. This is the shape and position of the device prior to the device being inserted into a patient. Device 2 also has a deployed position with an deployed shape, shown in Figure 3. The deployed position of the band is when the band is encircling a body part of the patient, such as the stomach or esophagus. Figure 3 shows the band having ends 22 and 24 attached to each other both with the tab and slot and the suture.

[0023] Figure 2 shows a cross section of inflatable portion 10 and band portion 20 when the device 1 is in its undeployed position. As seen from the figure, when the device is in its undeployed shape band portion 20 has a concave cross section taken perpendicular to longitudinal axis 26. The band portion 20 is molded in the present shape. The advantage of this can be seen by referring to Figure 4. Figure 4 shows a cross section of inflatable portion 10 and band portion 20 when the device 1 is in its deployed position. As the seen from that figure, the concave nature of the band 20 in its undeployed state, causes it to take on a substantially linear cross-section, or flat profile, when the device is in its deployed state. Compare this to Figure 6, wherein when the band has a flat profile in its undeployed state, it takes on a concave profile or shape in its deployed state. Therefore, the above described device has a band portion 20 which strains and deforms when implanted, but causes its surface to bend and take on a flat profile. This eliminates any potential sharp points or a cosmetic and perceived quality issues.

[0024] It will become readily apparent to those skilled in the art that the above invention has equally applicability to other types of implantable bands. For example, bands are used for the treatment of fecal incontinence. One such band is described in U.S. Patent 6,481,292 which is hereby incorporated herein by reference. Bands can also be used to treat urinary incontinence. One such band is described in U.S. Patent Application 2003/0105385 which is hereby incorporated herein by reference. Bands can also be used to treat heartburn and/or acid reflux. One such band is described in U.S. Patent 6,470,892 which is hereby incorporated herein by reference. Bands can also be used to treat impotence. One such band is described in U.S. Patent Application 2003/0114729 which is hereby incorporated herein by reference.

[0025] While preferred embodiments of the present invention have been shown and described herein, it will be obvious to those skilled in the art that such embodiments are provided by way of example only. Numerous variations, changes, and substitutions will now occur to those skilled in the art without departing from the invention. For example, as would be apparent to those skilled in the art, the disclosures herein have equal application in robotic-assisted surgery. In addition, it should be understood that every structure described above has a function and such structure can be referred to as a means for performing that function. Accordingly, it is intended that the invention be limited only by the spirit and scope of the appended claims.

#### Claims

1. An implantable surgical device having a deployed shape and an undeployed shape, said device comprising:

a. an elongated flexible inflatable portion; and

b. an elongated flexible and substantially inextensible band portion having a distal end, a proximal end and a longitudinal axis therebetween, said band portion being attached to said inflatable portion along an inner face thereof, wherein when said device is in its undeployed shape at least a portion of said band portion has a concave cross section, taken perpendicular to said longitudinal axis.

2. The device of claim 1 wherein said inflatable portion and said band portion are integrally manufactured as one part.

3. The device of claim 1 wherein said band portion in its deployed shape has a substantially flat cross section, taken perpendicular to said longitudinal axis.

4. The device of claim 1 wherein said band portion is at least partially made from at least one of silicone and polyurethane.

5. The device of claim 1 further comprising a means for attaching said distal and proximal ends of said band together.

6. The device of claim 1 further comprising an injection port in fluid communication with said inflatable portion.

7. An implantable surgical device having a deployed shape and an undeployed shape, said device comprising:

a. an elongated flexible band portion having a distal end, a proximal end and a longitudinal axis therebetween, wherein when said device is in its undeployed shape at least a portion of said band portion has a concave cross section, taken perpendicular to said longitudinal axis; and

b. a means for attaching said distal and proximal ends of said band together.

8. The device of claim 7 wherein said band portion in its deployed shape has a substantially flat cross section, taken perpendicular to said longitudinal axis.

9. The device of claim 7 wherein said band portion is at least partially made from at least one of silicone and polyurethane.

10. An implantable surgical device having a deployed

shape and an undeployed shape, said device comprising:



- a. an elongated flexible inflatable portion; 5
  - b. an elongated flexible and substantially inextensible band portion having a distal end, a proximal end and a longitudinal axis therebetween, said band portion being attached to said inflatable portion along an inner face thereof, 10  
wherein when said device is in its undeployed shape at least a portion of said band portion has a concave cross section, taken perpendicular to said longitudinal axis; 15
  - c. a means for attaching said distal and proximal ends of the band together; and
  - d. an injection port in fluid communication with said inflatable portion. 20
11. The device of claim 10 wherein said inflatable portion and said band portion are integrally manufactured as one part. 25
12. The device of claim 10 wherein said band portion in its deployed shape has a substantially flat cross section, taken perpendicular to said longitudinal axis. 30
13. The device of claim 10 wherein said band portion is at least partially made from at least one of silicone and polyurethane. 35

40


45

50


55



**FIG. 3**



**FIG. 4**






**FIG. 5** PRIOR ART



**FIG. 6** PRIOR ART



European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number  
EP 05 25 0951

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	EP 1 036 545 A (MOSHE, DUDAI) 20 September 2000 (2000-09-20) * paragraph [0024] - paragraph [0025]; figures 4,5 *	1-5,7-9	A61F5/00 A61F2/00 A61B17/12
X,D	US 5 601 604 A (VINCENT ET AL) 11 February 1997 (1997-02-11) * column 2, line 15 - column 3, line 16; figures *	1-3,5,7, 8,10-12	
X,D	US 6 102 922 A (JAKOBSSON ET AL) 15 August 2000 (2000-08-15) * column 6, line 12 - line 65 *	1-3,5,7, 8,10-12	
X	WO 86/04498 A (ASTRA MEDITEC AKTIEBOLAG) 14 August 1986 (1986-08-14) * page 3, line 12 - page 4, line 17; figures *	1-3,6	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			A61F A61B
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
Berlin		12 May 2005	Olsson, B
CATEGORY OF CITED DOCUMENTS			
X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background O: non-written disclosure P: intermediate document		T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons B: member of the same patent family, corresponding document	

 2  
 EPO Form 1504 (04/01) (PCT/INT)

ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.

EP 05 25 0951

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

12-05-2005

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 1036545	A	20-09-2000	EP 1036545 A2	20-09-2000
			US 6676674 B1	13-01-2004
			US 2004153106 A1	05-08-2004
-----				
US 5601604	A	11-02-1997	AU 681674 B2	04-09-1997
			AU 6956594 A	20-12-1994
			CA 2162402 A1	08-12-1994
			DE 69431595 D1	28-11-2002
			DE 69431595 T2	06-03-2003
			EP 1205148 A1	15-05-2002
			EP 0702529 A1	27-03-1996
			WO 9427504 A1	08-12-1994
-----				
US 6102922	A	15-08-2000	US 5771903 A	30-06-1998
			AT 235198 T	15-04-2003
			AU 751734 B2	29-08-2002
			AU 4943899 A	17-01-2000
			BR 9911723 A	20-03-2001
			CA 2335027 A1	06-01-2000
			DE 69906293 D1	30-04-2003
			DE 69906293 T2	05-02-2004
			DE 1091707 T1	05-07-2001
			EP 1091707 A1	18-04-2001
			ES 2195590 T3	01-12-2003
			WO 0600108 A1	06-01-2000
			EP 0769282 A1	23-04-1997
-----				
WO 8604498	A	14-08-1986	SE 448812 B	23-03-1987
			AU 5450186 A	26-08-1986
			DK 168189 B1	28-02-1994
			EP 0248802 A1	16-12-1987
			JP 6051041 B	06-07-1994
			JP 62501542 T	25-06-1987
			NO 863715 A ,B,	17-09-1986
			SE 8500442 A	02-08-1986
			WO 8604498 A1	14-08-1986
-----				

EPO FORM 1018

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82